



ISIS5300.ST25.txt
SEQUENCE LISTING

<110> Baker, Brenda F.
Eldrup, Anne B.
Manoharan, Muthiah
Bhat, Balkrishen
Griffey, Richard H.
Swayze, Eric E.
Crooke, Stanley T.

<120> CHIMERIC OLIGOMERIC COMPOUNDS AND THEIR USE IN GENE MODULATION

<130> ISIS-5300

<140> US 10/701,265
<141> 2003-11-04

<150> US 10/078,949
<151> 2002-02-20

<150> US 09/479,783
<151> 2000-01-07

<150> US 08/870,608
<151> 1997-06-06

<150> US 08/659,440
<151> 1996-06-06

<150> US 60/423,760
<151> 2002-11-05

<150> US 60/503,271
<151> 2003-09-15

<160> 77

<170> PatentIn version 3.3

<210> 1
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 1
cgagaggcgg acgggaccg

19

<210> 2
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 2
cgagaggcgg acgggaccgt t

21

<210> 3
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
 <223> Synthetic Construct
 <400> 3
 cggtcccgtc cgcctctcgt t 21

<210> 4
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-O-methoxyethyl

<220>
 <221> misc_feature
 <222> (13)..(20)
 <223> 2'-O-methoxyethyl

<400> 4
 tccgtcatcg ctctcaggg 20

<210> 5
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methoxyethyl

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-methoxyethyl

<400> 5
 gtgcgcgcga gcccgaatc 20

<210> 6
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methoxyethyl
 <220>

<221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-methoxyethyl

 <400> 6
 atgcattctg cccccaagga 20

 <210> 7
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

 <400> 7
 caaauccaga ggcuaagcagt t 21

 <210> 8
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

 <220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methyl

 <400> 8
 cugcuagccu cuggauuugt t 21

 <210> 9
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

 <220>
 <221> misc_feature
 <222> (2)..(6)
 <223> 2'-O-methyl

 <400> 9
 cugcuagccu cuggauuugt t 21

 <210> 10
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

 <220>
 <221> misc_feature
 <222> (3)..(7)

<223> 2'-O-methyl

<400> 10
cugcuagccu cuggauuugt t 21

<210> 11
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-O-methyl

<400> 11
cugcuagccu cuggauuugt t 21

<210> 12
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (5)..(9)
<223> 2'-O-methyl

<400> 12
cugcuagccu cuggauuugt t 21

<210> 13
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 13
cugcuagccu cuggauuugu u 21

<210> 14
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```

<220>
<221> misc_feature
<222> (8)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 14
cugcuagccu cuggauuugu u                                21

<210> 15
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 15
aaguaaggac cagagacaaa                                20

<210> 16
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 16
uuugucucug guccuuacuu                                20

<210> 17
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (18)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 17
uuugucucug guccuuacuu                                20

<210> 18
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-O-methyl modified nucleoside

<400> 18
uuugucucug guccuuacuu                                20

```

<210> 19
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (12)..(14)
 <223> 2'-O-methyl modified nucleoside

<400> 19
 uuugucucug guccuuacuu 20

<210> 20
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (9)..(11)
 <223> 2'-O-methyl modified nucleoside

<400> 20
 uuugucucug guccuuacuu 20

<210> 21
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (6)..(8)
 <223> 2'-O-methyl modified nucleoside

<400> 21
 uuugucucug guccuuacuu 20

<210> 22
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (3)..(5)

<223> 2'-O-methyl modified nucleoside
 <400> 22
 uuugucucug guccuuacuu 20

<210> 23
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-O-methyl modified nucleoside
 <400> 23
 uuugucucug guccuuacuu 20

<210> 24
 <211> 21
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methyl modified nucleoside
 <400> 24
 cugcuagccu cuggauuugu u 21

<210> 25
 <211> 21
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct
 <400> 25
 gucaaaucca gaggcua g 21

<210> 26
 <211> 21
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methyl modified nucleoside

<400> 26
 cugcuagccu cuggauuuga c 21

<210> 27
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 27
 cugcuagccu cuggauuuga c 21

<210> 28
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (15)..(21)
 <223> 2'-O-methyl modified nucleoside

<400> 28
 caaauccaga ggcua gcagu u 21

<210> 29
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (15)..(21)
 <223> 2'-O-methyl modified nucleoside

<400> 29
 cugcuagccu cuggauuugu u 21

<210> 30
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 30
 cugcuagccu cuggauuugu u 21

<210> 31
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct
 <400> 31
 caaauccaga ggcuagcagu u 21
 <210> 32
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct
 <220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-methyl modified nucleoside
 <400> 32
 uuugucucug guccuuacuu 20
 <210> 33
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct
 <220>
 <221> misc_feature
 <222> (14)..(20)
 <223> 2'-O-methyl modified nucleoside
 <400> 33
 uuugucucug guccuuacuu 20
 <210> 34
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct
 <220>
 <221> misc_feature
 <222> (12)..(20)
 <223> 2'-O-methyl modified nucleoside
 <400> 34
 uuugucucug guccuuacuu 20
 <210> 35
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (4)..(7)

<223> 2'-O-Me containing monomers with PO linkages

<220>

<221> misc_feature

<222> (17)..(20)

<223> 2'-O-Me containing monomers with PO linkages

<400> 35

cugcuagccu cuggauuuga

20

<210> 36

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(4)

<223> 2'-O-Me containing monomers with PO linkages

<220>

<221> misc_feature

<222> (17)..(20)

<223> 2'-O-Me containing monomers with PO linkages

<400> 36

cugcuagccu cuggauuuga

20

<210> 37

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (2)..(3)

<223> PS linkage

<220>

<221> misc_feature

<222> (4)..(7)

<223> 2'-O-Me containing monomers with PS linkages

<220>

<221> misc_feature

<222> (17)..(17)

<223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc_feature

<222> (18)..(20)

<223> 2'-O-Me containing monomers with PS linkages

<400> 37
cugcuagccu cuggauuuga

20

<210> 38
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-Me containing monomers with PO linkage

<220>
<221> misc_feature
<222> (2)..(4)
<223> 2'-O-Me containing monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-O-Me containing monomers with PO linkage

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-O-Me containing monomers with PS linkages

<400> 38
cuagccucug gauuuga

17

<210> 39
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(20)
<223> PS linkages

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers

<400> 39
cugcuagccu cuggauuuga

20

<210> 40
<211> 17

<212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(17)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (14)..(17)
 <223> 2'-O-Me containing monomers

<400> 40
 cuagccucug gauuuga

17

<210> 41
 <211> 17
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(17)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (14)..(17)
 <223> 2'-O-Me containing monomers

<400> 41
 guccucugguc cuuacuu

17

<210> 42
 <211> 17
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(17)
 <223> monomers with PS linkages

 <220>
 <221> misc_feature
 <222> (14)..(17)
 <223> 2'-O-Me containing monomers

 <400> 42
 uuuugucucu gguccuu

17

<210> 43
 <211> 17
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(17)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (14)..(17)
 <223> 2'-O-Me containing monomers

<400> 43
 cugguccuua cuucucc

17

<210> 44
 <211> 20
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-O-Me containing monomers

<400> 44
 uuugucucug guccuuacuu

20

<210> 45
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-Me containing monomers

<400> 45
 ucucuggucc uuacuuccc 20

<210> 46
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (4)..(7)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (17)..(20)
 <223> 2'-O-Me containing monomers

<400> 46
 uuugucucug guccuuacuu 20

<210> 47
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>

<221> misc_feature
 <222> (1)..(19)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (7)..(8)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> 5-methyl cytidine

<400> 47
 cugcuagccu cuggauuugt t

21

<210> 48
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (3)..(21)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (15)..(16)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 5-methyl cytidine

<400> 48
 ttgacgaucg gagaccuaaa c

21

<210> 49
 <211> 20

<212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> 2'-F containing monomers with PO linkages

<400> 49
 uuugucucug guccuuacuu 20

<210> 50
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> 2'-F containing monomers with PO linkages

<400> 50
 aaacagagac caggaaugaa 20

<210> 51
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> 2'-F containing monomers with PS linkages

<400> 51
 uuugucucug guccuuacuu 20

<210> 52
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> monomers with PS linkages

<220>
 <221> misc_feature


```

<222> (15)..(17)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (18)..(20)
<223> monomers with PS linkages

<400> 52
uuugucucug guccuuacuu
20

<210> 53
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(11)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(20)
<223> monomers with PS linkages

<400> 53
uuugucucug guccuuacuu
20

<210> 54
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (6)..(8)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (9)..(20)
<223> monomers with PS linkages

<400> 54
uuugucucug guccuuacuu
20

```

<210> 55
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(20)
 <223> monomers with PS linkages

<400> 55
 uuugucucug guccuuacuu 20

<210> 56
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(20)
 <223> Monomers with PS linkages

<400> 56
 uuugucucug guccuuacuu 20

<210> 57
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)

<223> 2'-F containing monomers with PS linkages

<400> 57

uuugucucug guccuuacuu

20

<210> 58

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(8)

<223> Monomers with PS linkages

<220>

<221> misc_feature

<222> (9)..(11)

<223> 2'-F containing monomers with PS linkages

<220>

<221> misc_feature

<222> (12)..(20)

<223> Monomers with PS linkages

<400> 58

uuugucucug guccuuacuu

20

<210> 59

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(15)

<223> Monomers with PS linkages

<220>

<221> misc_feature

<222> (16)..(20)

<223> 2'-F containing monomers with PS linkages

<400> 59

uuugucucug guccuuacuu

20

<210> 60

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(2)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(20)
 <223> Monomers with PS linkages

<400> 60
 uuugucucug guccuuacuu

20

<210> 61
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (6)..(11)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (12)..(14)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (15)..(20)
 <223> Monomers with PS linkages

<400> 61
 uuugucucug guccuuacuu

20

<210> 62
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(20)
 <223> Monomers with PS linkages

<400> 62
 uuugucucug guccuuacuu

20

<210> 63
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(17)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Monomers with PS linkages

<400> 63
 uuugucucug guccuuacuu

20

<210> 64
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers

<400> 64

uuugucucug guccuuacuu

20

<210> 65
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (5)..(7)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (8)..(13)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (14)..(16)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Monomer with PS linkage

<400> 65
 uuugucucug guccuuacuu

20

<210> 66
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)

<223> 2'-F containing monomers with PO linkages

<220>

<221> misc_feature

<222> (3)..(3)

<223> 2'-OMe

<220>

<221> misc_feature

<222> (4)..(5)

<223> 2'-F containing monomers with PO linkages

<220>

<221> misc_feature

<222> (6)..(7)

<223> 2'-OMe

<220>

<221> misc_feature

<222> (8)..(12)

<223> 2'-F containing monomers with PO linkages

<220>

<221> misc_feature

<222> (13)..(15)

<223> 2'-OMe

<220>

<221> misc_feature

<222> (16)..(18)

<223> 2'-F containing monomers with PO linkages

<220>

<221> misc_feature

<222> (19)..(20)

<223> 2'-OMe

<400> 66

cugcuagccu cuggauuugu t

21

<210> 67

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> PS linkages

<220>

<221> misc_feature

<222> (8)..(9)

<223> 2'-F containing monomers

<220>

<221> misc_feature

<222> (12)..(13)

<223> 2'-F containing monomers

<220>

<221> misc_feature

<222> (18)..(20)

<223> 2'-OMe

<400> 67
uuugucucug guccuuacuu 20

<210> 68
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 68
uucauuccug gucucuguuu 20

<210> 69
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-methoxyethoxy

<400> 69
uucauuccug gucucuguuu 20

<210> 70
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-methoxyethoxy

<400> 70
uucauuccug gucucuguuu 20

<210> 71
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-methoxyethoxy

<400> 71
uucauuccug gucucuguuu 20

<210> 72
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-methoxyethoxy

<400> 72
uucauuccug gucucuguuu 20

<210> 73
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-methoxyethoxy

<400> 73
uucauuccug gucucuguuu 20

<210> 74
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (16)..(18)
<223> 2'-methoxyethoxy

<400> 74
uucauuccug gucucuguuu 20

<210> 75
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>

ISIS5300.ST25.txt

<221> misc_feature
<222> (18)..(20)
<223> 2'-methoxyethoxy

<400> 75
uucauuccug gucucuguuu

20

<210> 76
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 76
tgcatttcag

10

<210> 77
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 77
ttctcgctgc atttcag

17